



# Gauteng Province study

Rachel Jewkes, Gender & Health  
Research Unit, Medical Research  
Council



# Study Design

- A household survey following a two-stage proportionate stratified design conducted in 2010
- **Setting:** All 6 districts of Gauteng Province
- **Sample:** a representative sample of 511 women and 487 men
- **Sampling units:** 75 primary sampling units
- Face to face interviews with trained fieldworkers
- **Inclusion criteria:** respondents over 18 years of age, slept 4 or more nights in the selected household, assessed to be sober and mentally competent
- Data collected in a survey with NGO Genderlinks; co-investigators Nicola Christofides, Nwabisa Jama-Shai, Mercy Machisa, Colleen Lowe-Morna and Kubi Rama




# Socio-demographic characteristics

	Women (n = 511)	Men (n = 487)
<b>Age groups:</b>	%	%
18-29 years	30.5	41.1
30-44 years	36.2	32.9
45 + years	33.3	26.1
<b>Race groups:</b>		
Black African	86	86.9
Coloured, Indian and Other	4.5	3.1
White	9.5	10
<b>Educational level:</b>		
High school incomplete and lower	57.3	46.4
High school complete or higher	42.7	53.6
<b>Worked in the past 12 months</b>	44.2	65.8
<b>Monthly income of workers:</b>		
1-1000 ZAR	19	10.5
1001-5000 ZAR	56.5	55.3
5001 ZAR or more	24.5	34.2
<b>Often or sometimes without food</b>	42.3	40



Venn diagram of patterns of intimate partner violence exposure : women



Venn diagram of patterns of intimate partner violence perpetration : men

